

Table 2: Peptide Binding to Bcl-2/iso1

Sequence	SEQ. ID NO:	K _d (nM)
NLWAAQRYGRELRRMSDEFVDSFKK	20	14
ALWAAQRYGRELRRMSDEFVDSFKK	21	211
NAWAAQRYGRELRRMSDEFVDSFKK	22	75
NLAAAQRYGRELRRMSDEFVDSFKK	23	39
AAAAAQRYGRELRRMSDEFVDSFKK	17	74
NLWGAQRYGRELRRMSDEFVDSFKK	24	159
NLWAGQRYGRELRRMSDEFVDSFKK	25	105
NLWAAQRYGRELRRMSDEFVDAFKK	26	26
NLWAAQRYGRELRRMSDEFVDSAKK	27	397
NLWAAQRYGRELRRMSDEFVDSFAK	28	123
NLWAAQRYGRELRRMSDEFVDSFAK	29	22
GGGAAQRYGRELRRMSDEFVDSFKK	30	63
NLPAAQRYGRELRRMSDEFVDSFKK	31	54
NLWAAQRYARELRRMSDEFVAAFKK	32	186
NLWAAQRYGREARRMSDEFVDSFKK	33	7483
NLWAAQRYGRELRRMSAEFVDSFKK	34	762
QRYGRELRRMSDEFVDSFKK	35	711
NLWAAQRYGRELRRMSDEFVD	36	2326

Table 3: Peptide Binding to Bcl-2/iso2

Sequence	SEQ. ID NO:	K _d (nM)
NLWAAQRYGRELRRMSDEFVDSFKK	20	8
GQVGRQLAIIGDDINR	37	
1600		

5 As Tables 2 and 3 show, the mutant proteins of the invention can be used for identifying compounds which bind tightly to a Bcl-2 family member.

EXAMPLE 3: Structure Determination of Bcl-2/iso1 and Bcl-2/iso2 by NMR

10 NMR Spectroscopy: The structures of soluble Bcl-2/iso1 and Bcl-2/iso2 were determined by NMR spectroscopy (see Figure 3). All NMR experiments were acquired at 298 K on a Bruker DRX500, DRX600 or DRX800 NMR spectrometer. Backbone ¹H, ¹³C, and ¹⁵N resonance assignments were achieved with [¹⁵N, ¹³C, (75%)²H] Bcl-2 using a suite of deuterium-decoupled, triple-resonance experiments (HNCA, HN(CO)CA, HN(CA)CB, HN(COCA)CB, HNCO and HN(CA)CO) (Yamazaki, T., Lee, W., Arrowsmith, C. H., Muhandiram, D. R. & Kay, L. E. (1994) *J. Am. Chem. Soc.* **116**, 11655-11666). The side-chain ¹H and ¹³C NMR signals were assigned from HCCH-TOCSY experiments (Clore, G. M. & Gronenborn, A. M. (1994) *Methods Enzymol.* **239**, 349-63), and stereospecific assignments of the valine and leucine methyl groups were obtained from an analysis of the ¹³C-¹³C coupling patterns observed for 15 biosynthetically directed, fractionally ¹³C-labeled Bcl-2 (Neri, D., Szyperski, T., Otting, G., Senn, H. & Wüthrich, K. (1989) *Biochemistry* **28**, 7510-7516). NOE distance restraints were obtained from three-dimensional ¹⁵N- and ¹³C-edited NOESY spectra (Fesik, S. W. & Zuiderweg, E. R. P. (1988) *J. Magn. Reson.* **78**, 588-593, Marion, D., Driscoll, P. C., Kay, L. E., Wingfield, P. T., Bax, A., Gronenborn, A. M. & Clore, G. M. (1989) *Biochemistry* **29**, 6150-6156) acquired with 20 a mixing time of 80 ms. Slowly exchanging amide protons were identified in an ¹⁵N-HSQC spectrum recorded immediately after exchanging the protein into a buffer prepared with D₂O. Residual dipolar couplings (HN-N and C'-C^α) were measured using undecoupled versions of the HNCO experiment on [¹⁵N, ¹³C, (75%)²H] Bcl-2 in the presence of 17 mg mL⁻¹ Pfl phage (Tjandra, N. (1999) *Structure* **7**, R205-R211, Hansen, M. R., Mueller, L. & Pardi, A. (1998) 25

Nature Struc. Biol. **5**, 1065-1074, Clore, G. M., Starich, M. R. & Gronenborn, A. M. (1998) *J. Am. Chem. Soc.* **120**, 1-571-10572).

Structure Calculations: Bcl-2 structures were calculated using a simulated annealing protocol (Brünger, A. T. (1992) *X-PLOR Version 3.1*. (Yale University Press, New Haven and London) with the program CNX (MSI, San Diego). A square-well potential ($F_{NOE} = 50$ kcal mol⁻¹) was employed to constrain NOE-derived distances. Based on the cross peak intensities, NOE-derived distance restraints were given upper bounds of 3.0, 4.0, 5.0, or 6.0 Å. Torsion angle restraints ϕ, ψ were generated from analysis of N, C', C^α, and H^α chemical shifts using the TALOS program (Cornilescu, G., Delaglio, F. & Bax, A. (1999) *J. Biomol. NMR* **13**, 289-302). A force constant of 200 kcal mol⁻¹ rad⁻² was applied to all torsional restraints. Explicit hydrogen bonds were included in α -helices only for residues observed to have slowly exchanging amide protons. The program PROCHECK was employed to analyze the geometric quality of the calculated structures in the ensemble (Laskowski, R. A., MacArthur, M. W., Moss, D. S. & Thornton, J. M. (1993) *J. Appl. Cryst.* **26**, 283-291).

The present invention is illustrated by way of the foregoing description and examples. The foregoing description is intended as a non-limiting illustration, since many variations will become apparent to those skilled in the art in view thereof. It is intended that all such variations within the scope and spirit of the appended claims be embraced thereby.

Changes can be made to the composition, operation and arrangement of the method of the present invention described herein without departing from the concept and scope of the invention as defined in the following claims.

Any references referred to herein are incorporated by reference.

II
2

SEQUENCE LISTING

<110> Fesik, Steven W.
Petros, Andrew M.
Yoon, Ho Sup
Nettesheim, David G.

<120> MUTANT BCL-2 PEPTIDES AND USES THEREOF

<130> 6752.US.01

<160> 37

<170> FastSEQ for Windows Version 4.0

<210> 1
<211> 16
<212> PRT
<213> Homo sapiens

<400> 1
Asp Val Glu Glu Asn Arg Thr Glu Ala Pro Glu Gly Thr Glu Ser Glu
1 5 10 15

<210> 2
<211> 166
<212> PRT
<213> Homo sapiens

<400> 2
Met Ala His Ala Gly Arg Thr Gly Tyr Asp Asn Arg Glu Ile Val Met
1 5 10 15
Lys Tyr Ile His Tyr Lys Leu Ser Gln Arg Gly Tyr Glu Trp Asp Ala
20 25 30
Gly Asp Asp Val Glu Glu Asn Arg Thr Glu Ala Pro Glu Gly Thr Glu
35 40 45
Ser Glu Val Val His Leu Ala Leu Arg Gln Ala Gly Asp Asp Phe Ser
50 55 60
Arg Arg Tyr Arg Gly Asp Phe Ala Glu Met Ser Ser Gln Leu His Leu
65 70 75 80
Thr Pro Phe Thr Ala Arg Gly Arg Phe Ala Thr Val Val Glu Glu Leu
85 90 95
Phe Arg Asp Gly Val Asn Trp Gly Arg Ile Val Ala Phe Phe Glu Phe
100 105 110
Gly Gly Val Met Cys Val Glu Ser Val Asn Arg Glu Met Ser Pro Leu
115 120 125
Val Asp Asn Ile Ala Leu Trp Met Thr Glu Tyr Leu Asn Arg His Leu
130 135 140
His Thr Trp Ile Gln Asp Asn Gly Gly Trp Asp Ala Phe Val Glu Leu
145 150 155 160
Tyr Gly Pro Ser Met Arg
165

<210> 3

<211> 239

<212> PRT

<213> Homo sapiens

<400> 3

Met Ala His Ala Gly Arg Thr Gly Tyr Asp Asn Arg Glu Ile Val Met
 1 5 10 15
 Lys Tyr Ile His Tyr Lys Leu Ser Gln Arg Gly Tyr Glu Trp Asp Ala
 20 25 30
 Gly Asp Val Gly Ala Ala Pro Pro Gly Ala Ala Pro Ala Pro Gly Ile
 35 40 45
 Phe Ser Ser Gln Pro Gly His Thr Pro His Pro Ala Ala Ser Arg Asp
 50 55 60
 Pro Val Ala Arg Thr Ser Pro Leu Gln Thr Pro Ala Ala Pro Gly Ala
 65 70 75 80
 Ala Ala Gly Pro Ala Leu Ser Pro Val Pro Pro Val Val His Leu Ala
 85 90 95
 Leu Arg Gln Ala Gly Asp Asp Phe Ser Arg Arg Tyr Arg Gly Asp Phe
 100 105 110
 Ala Glu Met Ser Ser Gln Leu His Leu Thr Pro Phe Thr Ala Arg Gly
 115 120 125
 Arg Phe Ala Thr Val Val Glu Glu Leu Phe Arg Asp Gly Val Asn Trp
 130 135 140
 Gly Arg Ile Val Ala Phe Phe Glu Phe Gly Gly Val Met Cys Val Glu
 145 150 155 160
 Ser Val Asn Arg Glu Met Ser Pro Leu Val Asp Asn Ile Ala Leu Trp
 165 170 175
 Met Thr Glu Tyr Leu Asn Arg His Leu His Thr Trp Ile Gln Asp Asn
 180 185 190
 Gly Gly Trp Asp Ala Phe Val Glu Leu Tyr Gly Pro Ser Met Arg Pro
 195 200 205
 Leu Phe Asp Phe Ser Trp Leu Ser Leu Lys Thr Leu Leu Ser Leu Ala
 210 215 220
 Leu Val Gly Ala Cys Ile Thr Leu Gly Ala Tyr Leu Gly His Lys
 225 230 235

<210> 4

<211> 239

<212> PRT

<213> Homo sapiens

<400> 4

Met Ala His Ala Gly Arg Thr Gly Tyr Asp Asn Arg Glu Ile Val Met
 1 5 10 15
 Lys Tyr Ile His Tyr Lys Leu Ser Gln Arg Gly Tyr Glu Trp Asp Ala
 20 25 30
 Gly Asp Val Gly Ala Ala Pro Pro Gly Ala Ala Pro Ala Pro Gly Ile
 35 40 45
 Phe Ser Ser Gln Pro Gly His Thr Pro His Pro Ala Ala Ser Arg Asp
 50 55 60
 Pro Val Ala Arg Thr Ser Pro Leu Gln Thr Pro Ala Ala Pro Gly Ala
 65 70 75 80
 Ala Ala Gly Pro Ala Leu Ser Pro Val Pro Pro Val Val His Leu Thr
 85 90 95
 Leu Arg Gln Ala Gly Asp Asp Phe Ser Arg Arg Tyr Arg Arg Asp Phe
 100 105 110
 Ala Glu Met Ser Ser Gln Leu His Leu Thr Pro Phe Thr Ala Arg Gly

115	120	125	
Arg Phe Ala Thr Val Val Glu	Glu Leu Phe Arg Asp	Gly Val Asn Trp	
130	135	140	
Gly Arg Ile Val Ala Phe	Phe Glu Phe Gly	Gly Val Met Cys Val Glu	
145	150	155	160
Ser Val Asn Arg Glu Met	Ser Pro Leu Val Asp	Asn Ile Ala Leu Trp	
165	170	175	
Met Thr Glu Tyr Leu Asn Arg	His Leu His Thr Trp	Ile Gln Asp Asn	
180	185	190	
Gly Gly Trp Asp Ala Phe	Val Glu Leu Tyr Gly	Pro Ser Met Arg Pro	
195	200	205	
Leu Phe Asp Phe Ser Trp	Leu Ser Leu Lys	Thr Leu Leu Ser Leu Ala	
210	215	220	
Leu Val Gly Ala Cys Ile	Thr Leu Gly Ala	Tyr Leu Gly His Lys	
225	230	235	

03/2162000
 <210> 5
 <211> 239
 <212> PRT
 <213> Homo sapiens

<400> 5	Met Ala His Ala Gly Arg Thr Gly Tyr Asp Asn Arg Glu Ile Val Met			
1	5	10	15	
Lys Tyr Ile His Tyr Lys Leu Ser Gln Arg Gly Tyr Glu Trp Asp Ala	20	25	30	
Gly Asp Val Gly Ala Ala Pro Pro Gly Ala Ala Pro Ala Pro Gly Phe	35	40	45	
Phe Ser Ser Gln Pro Gly His Thr Pro His Pro Ala Ala Ser Arg Asp	50	55	60	
Pro Val Ala Arg Thr Ser Pro Leu Gln Thr Pro Ala Ala Pro Gly Ala	65	70	75	80
Ala Ala Gly Pro Ala Leu Ser Pro Val Pro Pro Val Val His Leu Thr	85	90	95	
Leu Arg Gln Ala Gly Asp Asp Phe Ser Arg Arg Tyr Arg Arg Asp Phe	100	105	110	
Ala Glu Met Ser Ser Gln Leu His Leu Thr Pro Phe Thr Ala Arg Gly	115	120	125	
Arg Phe Ala Thr Val Val Glu Leu Phe Arg Asp Gly Val Asn Trp	130	135	140	
Gly Arg Ile Val Ala Phe Phe Glu Phe Gly	145	150	155	160
Gly Val Met Cys Val Glu	170	175		
Ser Val Asn Arg Glu Met Ser Pro Leu Val Asp Asn Ile Ala Leu Trp	180	185	190	
Met Thr Glu Tyr Leu Asn Arg His Leu His Thr Trp Ile Gln Asp Asn	195	200	205	
Gly Gly Trp Asp Ala Phe Val Glu Leu Tyr Gly Pro Ser Met Arg Pro	210	215	220	
Leu Phe Asp Phe Ser Trp Leu Ser Leu Lys	225	230	235	
Thr Leu Gly Ala	Thr Leu Gly Ala	Tyr Leu Gly His Lys		

<210> 6
 <211> 237
 <212> PRT

<213> *Homo sapiens*

```

<400> 6
Met Ser Met Ala Met Ser Gln Ser Asn Arg Glu Leu Val Val Asp Phe
1 5 10 15
Leu Ser Tyr Lys Leu Ser Gln Lys Gly Tyr Ser Trp Ser Gln Phe Ser
20 25 30
Asp Val Glu Glu Asn Arg Thr Glu Ala Pro Glu Glu Thr Glu Ser Glu
35 40 45
Met Glu Thr Pro Ser Ala Ile Asn Gly Asn Pro Ser Trp His Leu Ala
50 55 60
Asp Ser Pro Ala Val Asn Gly Ala Thr Gly His Ser Ser Ser Leu Asp
65 70 75 80
Ala Arg Glu Val Ile Pro Met Ala Ala Val Lys Gln Ala Leu Arg Glu
85 90 95
Ala Gly Asp Glu Phe Glu Leu Arg Tyr Arg Arg Ala Phe Ser Asp Leu
100 105 110
Thr Ser Gln Leu His Ile Thr Pro Gly Thr Ala Tyr Gln Ser Phe Glu
115 120 125
Gln Val Val Asn Glu Leu Phe Arg Asp Gly Val Asn Trp Gly Arg Ile
130 135 140
Val Ala Phe Phe Ser Phe Gly Gly Ala Leu Cys Val Glu Ser Val Asp
145 150 155 160
Lys Glu Met Gln Val Leu Val Ser Arg Ile Ala Ala Trp Met Ala Thr
165 170 175
Tyr Leu Asn Asp His Leu Glu Pro Trp Ile Gln Glu Asn Gly Gly Trp
180 185 190
Asp Thr Phe Val Glu Leu Tyr Gly Asn Asn Ala Ala Ala Glu Ser Arg
195 200 205
Lys Gly Gln Glu Arg Phe Asn Arg Trp Phe Leu Thr Gly Met Thr Val
210 215 220
Ala Gly Val Val Leu Leu Gly Ser Leu Phe Ser Arg Lys
225 230 235

```

```
<210> 7
<211> 43
<212> DNA
<213> Artificial Sequence
```

<220>
<223> primer

<400> 7
cactcaccat atggctcacg ctggggagaac ggggtacgac aac

43

```
<210> 8
<211> 43
<212> DNA
<213> Artificial Sequence
```

<220>
<223> primer

<400> 8
gcgagctctc gagttcaga gacagccagg agaaaatcaaa cag

43

<210> 9

<211> 48
<212> DNA
<213> Artificial Sequence

<220>
<223> primer

<400> 9
gccccagaag ggactgaatc ggaggtggtc cacctggccc tccgccaa 48

<210> 10
<211> 48
<212> DNA
<213> Artificial Sequence

<220>
<223> primer

<400> 10
ctcagtagcg ttctcttcca catcatctcc cgcacatccac tcgttagcc 48

<210> 11
<211> 43
<212> DNA
<213> Artificial Sequence

<220>
<223> primer

<400> 11
cactcaccat atggctcacg ctgggagaac ggggtacgac aac 43

<210> 12
<211> 50
<212> DNA
<213> Artificial Sequence

<220>
<223> primer

<400> 12
gcgaagctct cgagctatca atcaaacaga ggccgcattgc tggggccgta 50

<210> 13
<211> 31
<212> DNA
<213> Artificial Sequence

<220>
<223> primer

<400> 13
gaggtggtcc acctgaccct ccgccaagcc g 31

<210> 14
<211> 31
<212> DNA
<213> Artificial Sequence

<220>
 <223> primer

 <400> 14
 cggttggcg gagggtcagg tggaccacct c 31

 <210> 15
 <211> 26
 <212> DNA
 <213> Artificial Sequence

 <220>
 <223> primer

 <400> 15
 gccgcttaccg ccgcgacttc gccgag 26

 <210> 16
 <211> 26
 <212> DNA
 <213> Artificial Sequence

 <220>
 <223> primer

 <400> 16
 ctcggcgaag tcgcggcggt agcggc 26

 <210> 17
 <211> 25
 <212> PRT
 <213> Artificial Sequence

 <220>
 <223> peptide

 <400> 17
 Ala Ala Ala Ala Ala Gln Arg Tyr Gly Arg Glu Leu Arg Arg Met Ser
 1 5 10 15
 Asp Glu Phe Val Asp Ser Phe Lys Lys
 20 25

<210> 18
 <211> 24
 <212> PRT
 <213> Artificial Sequence

 <220>
 <223> peptide

 <400> 18
 Ala Ala Ala Ala Ala Gln Arg Tyr Gly Arg Glu Leu Arg Arg Met Ser
 1 5 10 15
 Asp Glu Phe Val Asp Ser Lys Lys
 20

<210> 19
<211> 18
<212> PRT
<213> Artificial Sequence

<220>
<223> peptide

<400> 19
Ala Ala Gln Arg Tyr Gly Arg Glu Leu Arg Arg Met Ser Asp Glu Phe
1 5 10 15
Val Arg

<210> 20
<211> 25
<212> PRT
<213> Artificial Sequence

<220>
<223> peptide

<400> 20
Asn Leu Trp Ala Ala Gln Arg Tyr Gly Arg Glu Leu Arg Arg Met Ser
1 5 10 15
Asp Glu Phe Val Asp Ser Phe Lys Lys
20 25

<210> 21
<211> 25
<212> PRT
<213> Artificial Sequence

<220>
<223> peptide

<400> 21
Ala Leu Trp Ala Ala Gln Arg Tyr Gly Arg Glu Leu Arg Arg Met Ser
1 5 10 15
Asp Glu Phe Val Asp Ser Phe Lys Lys
20 25

<210> 22
<211> 25
<212> PRT
<213> Artificial Sequence

<220>
<223> peptide

<400> 22
Asn Ala Trp Ala Ala Gln Arg Tyr Gly Arg Glu Leu Arg Arg Met Ser
1 5 10 15
Asp Glu Phe Val Asp Ser Phe Lys Lys

20

25

<210> 23
 <211> 25
 <212> PRT
 <213> Artificial Sequence

<220>
 <223> peptide

<400> 23
 Asn Leu Ala Ala Ala Gln Arg Tyr Gly Arg Glu Leu Arg Arg Met Ser
 1 5 10 15
 Asp Glu Phe Val Asp Ser Phe Lys Lys
 20 25

<210> 24
 <211> 25
 <212> PRT
 <213> Artificial Sequence

<220>
 <223> peptide

<400> 24
 Asn Leu Trp Gly Ala Gln Arg Tyr Gly Arg Glu Leu Arg Arg Met Ser
 1 5 10 15
 Asp Glu Phe Val Asp Ser Phe Lys Lys
 20 25

<210> 25
 <211> 25
 <212> PRT
 <213> Artificial Sequence

<220>
 <223> peptide

<400> 25
 Asn Leu Trp Ala Gly Gln Arg Tyr Gly Arg Glu Leu Arg Arg Met Ser
 1 5 10 15
 Asp Glu Phe Val Asp Ser Phe Lys Lys
 20 25

<210> 26
 <211> 25
 <212> PRT
 <213> Artificial Sequence

<220>
 <223> peptide

<400> 26
 Asn Leu Trp Ala Ala Gln Arg Tyr Gly Arg Glu Leu Arg Arg Met Ser

DOCUMENT 2600

1 5 10 15
Asp Glu Phe Val Asp Ala Phe Lys Lys
20 25

<210> 27
<211> 25
<212> PRT
<213> Artificial Sequence

<220>
<223> peptide

<400> 27
Asn Leu Trp Ala Ala Gln Arg Tyr Gly Arg Glu Leu Arg Arg Met Ser
1 5 10 15
Asp Glu Phe Val Asp Ser Ala Lys Lys
20 25

<210> 28
<211> 25
<212> PRT
<213> Artificial Sequence

<220>
<223> peptide

<400> 28
Asn Leu Trp Ala Ala Gln Arg Tyr Gly Arg Glu Leu Arg Arg Met Ser
1 5 10 15
Asp Glu Phe Val Asp Ser Phe Ala Lys
20 25

<210> 29
<211> 25
<212> PRT
<213> Artificial Sequence

<220>
<223> peptide

<400> 29
Asn Leu Trp Ala Ala Gln Arg Tyr Gly Arg Glu Leu Arg Arg Met Ser
1 5 10 15
Asp Glu Phe Val Asp Ser Phe Lys Ala
20 25

<210> 30
<211> 25
<212> PRT
<213> Artificial Sequence

<220>
<223> peptide

<400> 30
Gly Gly Gly Ala Ala Gln Arg Tyr Gly Arg Glu Leu Arg Arg Met Ser
1 5 10 15
Asp Glu Phe Val Asp Ser Phe Lys Lys
20 25

<210> 31
<211> 25
<212> PRT
<213> Artificial Sequence

<220>
<223> peptide

<400> 31
Asn Leu Pro Ala Ala Gln Arg Tyr Gly Arg Glu Leu Arg Arg Met Ser
1 5 10 15
Asp Glu Phe Val Asp Ser Phe Lys Lys
20 25

<210> 32
<211> 25
<212> PRT
<213> Artificial Sequence

<220>
<223> peptide

<400> 32
Asn Leu Trp Ala Ala Gln Arg Tyr Ala Arg Glu Leu Arg Arg Met Ser
1 5 10 15
Asp Glu Phe Val Ala Ala Phe Lys Lys
20 25

<210> 33
<211> 25
<212> PRT
<213> Artificial Sequence

<220>
<223> peptide

<400> 33
Asn Leu Trp Ala Ala Gln Arg Tyr Gly Arg Glu Ala Arg Arg Met Ser
1 5 10 15
Asp Glu Phe Val Asp Ser Phe Lys Lys
20 25

<210> 34
<211> 25
<212> PRT
<213> Artificial Sequence

<220>

09/24/2000 11:12:00 AM

<223> peptide

<400> 34

Asn Leu Trp Ala Ala Gln Arg Tyr Gly Arg Glu Leu Arg Arg Met Ser
1 5 10 15
Ala Glu Phe Val Asp Ser Phe Lys Lys
20 25

<210> 35

<211> 20

<212> PRT

<213> Artificial Sequence

<220>

<223> peptide

<400> 35

Gln Arg Tyr Gly Arg Glu Leu Arg Arg Met Ser Asp Glu Phe Val Asp
1 5 10 15
Ser Phe Lys Lys
20

<210> 36

<211> 21

<212> PRT

<213> Artificial Sequence

<220>

<223> peptide

<400> 36

Asn Leu Trp Ala Ala Gln Arg Tyr Gly Arg Glu Leu Arg Arg Met Ser
1 5 10 15
Asp Glu Phe Val Asp
20

<210> 37

<211> 16

<212> PRT

<213> Artificial Sequence

<220>

<223> peptide

<400> 37

Gly Gln Val Gly Arg Gln Leu Ala Ile Ile Gly Asp Asp Ile Asn Arg
1 5 10 15

097245395-342000